

# SAFETY DATA SHEET FOR **GROUNDWORX ULTRA - PRIMER A**

ACCORDING TO FEDERAL REGISTER / VOL. 77, NO. 58 / MONDAY, MARCH 26, 2012 / RULES AND REGULATIONS DATE OF ISSUE: 7/12/2022

## SECTION 1: IDENTIFICATION

### 1.1 IDENTIFICATION

**Product Form:** Mixture  
**Product Name:** GroundWorx Ultra - Primer A  
**Product Code:** GroundWorx Ultra - Primer A

### 1.2 RECOMMENDED USE AND RESTRICTIONS ON USE

No additional information available

### 1.3 SUPPLIER

StaticWorx  
P.O. Box 1556, Williston, VT 05495  
(617) 923-2000 Fax: (617) 467-5871  
staticworx.com

### 1.4 EMERGENCY TELEPHONE NUMBER

**Emergency Number:** Chemtrec: 800-427-9300 (Outside USA) 703-527-3887.

## SECTION 2: HAZARD(S) IDENTIFICATION

### 2.1 CLASSIFICATION OF THE SUBSTANCE OR MIXTURE

#### GHS-US Classification

#### **Skin Corrosion/Irritation**

**Category 2:** H315 - Causes skin irritation  
**Skin Sensitization Category 1:** H317 - May cause an allergic skin reaction  
**Full Text of H Statements:** See section 16

### 2.2 GHS LABEL, ELEMENTS INCLUDING PRECAUTIONARY STATEMENTS

#### GHS-US labeling

#### **Hazard Pictograms (GHS-US)**



#### **Signal Word (GHS-US)**

Warning

#### **Hazard Statements (GHS-US)**

H315 - Causes skin irritation  
H317 - May cause an allergic skin reaction

**Precautionary Statements (GHS-US):** P261 - Avoid breathing vapors  
 P264 - Wash hands thoroughly after handling  
 P272 - Contaminated work clothing must not be allowed out of the workplace  
 P280 - Wear protective clothing  
 P302+P352 - If on skin: Wash with plenty of soap  
 P321 - Specific treatment (see a doctor if symptoms do not go away)  
 P332+P313 - If skin irritation occurs: Get medical advice/attention  
 P333+P313 - If skin irritation or rash occurs: Get medical advice/attention  
 P362+P364 - Take off contaminated clothing and wash it before reuse  
 P363 - Wash contaminated clothing before reuse  
 P501 - Dispose of contents/container to in accordance with local regulations

### 2.3 OTHER HAZARDS WHICH DO NOT RESULT IN CLASSIFICATION

No additional information available

### 2.4 UNKNOWN ACUTE TOXICITY (GHS US)

Not applicable.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1 SUBSTANCES

Not applicable

### 3.2 MIXTURES

Name	Product identifier	%	GHS-US classification
(Phenol, 4,4'-(1-methylethylidene) bis-, polymer with (chloromethyl) oxirane)	(CAS No) 25068-38-6	70 - 80	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Alkyl (C12-C14) Glycidyl Ether	(CAS No) 68609-97-2	10 -15	Skin Irrit. 2, H315 Skin Sens. 1, H317
Phenol,4-nonyl-,branched	(CAS No) 84852-15-3	0 - 1	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314 Aquatic Acute 1, H400 Aquatic Chronic 1, H410

Full text of hazard classes and H-statements : see section 16

**SECTION 4: FIRST-AID MEASURES****4.1 DESCRIPTION OF FIRST AID MEASURES**

<b>First-aid Measures General:</b>	Get medical advice/attention if you feel unwell.
<b>First-aid Measures After Inhalation:</b>	When symptoms occur: go into open air and ventilate suspected area. Remove person to fresh air and keep comfortable for breathing. Immediately call a poison center or doctor/physician.
<b>First-aid Measures After Skin Contact:</b>	When symptoms occur: rinse immediately with plenty of water. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
<b>First-aid Measures After Eye Contact:</b>	Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persist.
<b>First-aid Measures After Ingestion:</b>	Do NOT induce vomiting.

**4.2 MOST IMPORTANT SYMPTOMS AND EFFECTS (ACUTE AND DELAYED)**

<b>Symptoms/Injuries:</b>	Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Irritation of the eye tissue. Skin rash/inflammation.
<b>Symptoms/Injuries After Inhalation:</b>	May cause irritation or asthma-like symptoms. May cause respiratory irritation.
<b>Symptoms/Injuries After Skin Contact:</b>	Causes skin irritation.
<b>Symptoms/Injuries After Eye Contact:</b>	Causes eye irritation.

**4.3 IMMEDIATE MEDICAL ATTENTION AND SPECIAL TREATMENT, IF NECESSARY**

Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES****5.1 SUITABLE (AND UNSUITABLE) EXTINGUISHING MEDIA**

<b>Suitable Extinguishing Media:</b>	Alcohol resistant foam, water, water fog, CO2, dry chemical, dry sand, limestone powder.
--------------------------------------	--

**5.2 SPECIFIC HAZARDS ARISING FROM THE CHEMICAL**

<b>Fire Hazard:</b>	No data available on direct fire hazard.
<b>Reactivity:</b>	Polymerizes on exposure to some compounds e.g. amines, sulphurized compounds and (some) acids: release of heat.

**5.3 SPECIAL PROTECTIVE EQUIPMENT AND PRECAUTIONS FOR FIRE-FIGHTERS**

<b>Firefighting Instructions:</b>	Fight fire with normal precautions from a reasonable distance.
-----------------------------------	--

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES**

**General Measures:** Absorb spillage to prevent material damage.

**6.1.1 For Non-emergency Personnel**

No additional information available

**6.1.2 For Emergency Responders**

No additional information available

**6.2 ENVIRONMENTAL PRECAUTIONS**

Prevent entry to sewers and public waters.

**6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING UP**

**For Containment:** Collect spillage. Contain leaking substance. Dam up the liquid spill.  
**Methods for Cleaning Up:** Absorb spillage to prevent material damage. Cover the solid spill with dry sand/earth/vermiculite soda ash or powdered limestone.  
**Other Information:** Dispose in a safe manner in accordance with local/national regulations.

**6.4 REFERENCE TO OTHER SECTIONS**

No additional information available

**SECTION 7: HANDLING AND STORAGE****7.1 PRECAUTIONS FOR SAFE HANDLING**

**Precautions for Safe Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Wear personal protective equipment.  
**Hygiene Measures:** Do not eat, drink or smoke while using this product.

**7.2 CONDITIONS FOR SAFE STORAGE, INCLUDING ANY INCOMPATIBILITIES**

**Storage Conditions:** Keep container closed when not in use. Keep only in original container. Store in a dry place. Store in a closed container.  
**Storage Area:** Keep container in a well-ventilated place.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 CONTROL PARAMETERS****(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)**

Not applicable

**Alkyl (C12-C14) Glycidyl Ether (68609-97-2)**

Not applicable

**Phenol,4-nonyl-,branched (84852-15-3)**

Not applicable

**8.2 APPROPRIATE ENGINEERING CONTROLS****Appropriate Engineering Controls:** Ensure good ventilation of the work station..**8.3 INDIVIDUAL PROTECTION MEASURES/PERSONAL PROTECTIVE EQUIPMENT****Personal Protective Equipment:** Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work..**Hand Protection:** Gloves.**Eye Protection:** Chemical goggles or safety glasses**Skin and Body Protection:** Wear Suitable Protective Clothing**Respiratory Protection:** In case of inadequate ventilation wear respiratory protection**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES****9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES**

<b>Physical State:</b>	Liquid
<b>Color:</b>	Translucent cloudy liquid
<b>Odor:</b>	Mild epoxy odor
<b>Odor Threshold</b>	No data available
<b>pH:</b>	No data available
<b>Melting Point:</b>	No data available
<b>Freezing Point:</b>	No data available
<b>Boiling Point:</b>	≈ 428 °F
<b>Flash Point:</b>	≈ 302 °F
<b>Relative Evaporation Rate (butyl acetate=1):</b>	No data available
<b>Flammability (Solid, Gas):</b>	No data available
<b>Vapor Pressure:</b>	No data available
<b>Relative Vapor Density at 20 °C:</b>	No data available
<b>Relative Density:</b>	No data available

<b>Specific Gravity/Density:</b>	9.5
<b>Solubility:</b>	No data available
<b>Log Pow:</b>	No data available
<b>Auto-ignition Temperature:</b>	No data available
<b>Decomposition Temperature:</b>	No data available
<b>Viscosity, Kinematic:</b>	No data available
<b>Viscosity, Dynamic:</b>	No data available
<b>Explosion Limits:</b>	No data available
<b>Explosive Properties:</b>	No data available
<b>Oxidizing Properties:</b>	No data available

## 9.2 OTHER INFORMATION

No additional information available

## SECTION 10: STABILITY AND REACTIVITY

### 10.1 REACTIVITY

Polymerizes on exposure to some compounds e.g. amines, sulphurized compounds and (some) acids: release of heat.

### 10.2 CHEMICAL STABILITY

Stable under normal conditions.

### 10.3 POSSIBILITY OF HAZARDOUS REACTIONS

No additional information available

### 10.4 CONDITIONS TO AVOID

Refer to Section 10 on Incompatible Materials.

### 10.5 INCOMPATIBLE MATERIALS

Oxidizing agent.

### 10.6 HAZARDOUS DECOMPOSITION PRODUCTS

Carbon dioxide. Carbon monoxide.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 INFORMATION ON TOXICOLOGICAL EFFECTS****Acute toxicity:** Not classified

<b>(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)</b>	
LD50 oral rat	> 2000 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Experimental value)
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value; OECD 402: Acute Dermal Toxicity)
<b>Phenol,4-nonyl-,branched (84852-15-3)</b>	
LD50 oral rat	1882 mg/kg (Rat; Other; Experimental value; 1412 mg/kg body-weight; Rat; Experimental value)
ATE US (oral)	1882 mg/kg body weight
ATE US (dermal)	2040 mg/kg body weight

<b>Skin Corrosion/Irritation:</b>	Causes skin irritation.
<b>Serious Eye Damage/Irritation:</b>	Not classified
<b>Respiratory or Skin Sensitization:</b>	May cause an allergic skin reaction.
<b>Germ Cell Mutagenicity:</b>	Not classified
<b>Carcinogenicity:</b>	Not classified
<b>Reproductive Toxicity:</b>	Not classified
<b>Specific Target Organ Toxicity</b>	
– <b>Single Exposure:</b>	Not classified
<b>Specific Target Organ Toxicity</b>	
– <b>Repeated Exposure:</b>	Not classified
<b>Aspiration Hazard:</b>	Not classified
<b>Likely Routes of Exposure:</b>	Dermal. Ingestion. Inhalation. Skin and eye contact.
<b>Symptoms/Injuries:</b>	Irritation of the respiratory tract. Irritation of the nasal mucous membranes. Irritation of the eye tissue. Skin rash/inflammation.
<b>Symptoms/Injuries After Inhalation:</b>	May cause irritation or asthma-like symptoms. May cause respiratory irritation.
<b>Symptoms/Injuries After Skin Contact:</b>	Causes skin irritation.
<b>Symptoms/Injuries After Eye Contact:</b>	Causes eye irritation.

**SECTION 12: ECOLOGICAL INFORMATION****12.1 TOXICITY**

<b>GroundWorx Ultra - Primer A</b>	
LC50 fish 1	3 mg/kg
<b>(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)</b>	
LC50 fish 2	2.3 mg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Oncorhynchus mykiss; Semi-static system; Fresh water; Experimental value)
EC50 Daphnia 2	1.1 - 2.8 mg/l (EC50; Equivalent or similar to OECD 202; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)
<b>Phenol,4-nonyl-,branched (84852-15-3)</b>	
EC50 Daphnia 2	0.085 mg/l (EC50; ASTM E729-88; 48 h; Daphnia magna; Semi-static system; Fresh water; Experimental value)
Threshold limit algae 2	0.027 mg/l (EC50; EPA OTS 797.1050; 96 h; Skeletonema costatum; Static system; Salt water; Experimental value)

**12.2 PERSISTENCE AND DEGRADABILITY**

<b>(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)</b>	
Persistence and degradability	Not readily biodegradable in water. Hydrolysis in water. Low potential for adsorption in soil.
<b>Phenol,4-nonyl-,branched (84852-15-3)</b>	
Persistence and degradability	Inherently biodegradable. Biodegradability in soil: no data available. Adsorbs into the soil. Photodegradation in the air.

**12.3 BIOACCUMULATIVE POTENTIAL**

<b>(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)</b>	
BCF other aquatic organisms 1	3 - 31 (BCF)
Log Pow	>= 2.918 (Experimental value; EU Method A.8: Partition Coefficient; 25 °C)
Bioaccumulative Potential	Low potential for bioaccumulation (BCF < 500).
<b>Phenol,4-nonyl-,branched (84852-15-3)</b>	
BCF fish 1	271 (BCF; 480 h; Pimephales promelas)
BCF fish 2	1200/1300,BCF; OECD 305: Bioconcentration: Flow-Through Fish Test; 32 days; Gasterosteus aculeatus; Flow-through system; Salt water; Experimental value; Fresh weight
Log Pow	3.28 (OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 5.4; Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 23 °C)
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).

**12.4 MOBILITY IN SOIL**

<b>(Phenol, 4,4'-(1-methylethylidene)bis-, polymer with (chloromethyl)oxirane) (25068-38-6)</b>	
Surface tension	0.0 587-0.0589,20 °C
Log Koc	log Koc, SRC PCKOCWIN v2.0; 2.65; QSAR
<b>Phenol,4-nonyl-,branched (84852-15-3)</b>	
Log Koc	log Koc, Other; >= 4.35 - <= 5.69; Experimental value; GLP

**12.5 OTHER ADVERSE EFFECTS**

**Effect on the Global Warming:** No known effects from this product.

**SECTION 13: DISPOSAL CONSIDERATION****13.1 DISPOSAL METHODS**

No additional information available

**SECTION 14: TRANSPORT INFORMATION**

<b>Department of Transportation (DOT):</b>	In accordance with DOT Not applicable
<b>TDG:</b>	Not applicable
<b>Transport by Sea:</b>	Not applicable
<b>Air Transport:</b>	Not applicable

**SECTION 15: REGULATORY INFORMATION****15.1 US FEDERAL REGULATIONS**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

**15.2 INTERNATIONAL REGULATIONS**

<b>Canada:</b>	No additional information available
<b>EU Regulations:</b>	No additional information available
<b>National Regulations:</b>	No additional information available

**15.3 US STATE REGULATIONS**

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

**SECTION 16: OTHER INFORMATION**


<b>Other Information:</b>	Disclaimer: This SDS to the best of our knowledge conforms to the requirements of OSHA 20 CFR 1910.1200 and summarizes the health and safety hazard information and general guidance on how to safely handle the material at the date of issue. Each user must review the SDS in the context of how the product will be handled and used in the workplace.
---------------------------	--

**Full Text of H-phrases:**

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H400	Very toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

**NFPA Health Hazard:**

2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.

**NFPA Fire Hazard:**

1 - Must be preheated before ignition can occur.

**NFPA Reactivity:**

0 - Normally stable, even under fire exposure conditions, and are not reactive with water.

**HMIS III Rating****Health:**

2 Moderate Hazard - Temporary or minor injury may occur

**Flammability:**

1 Slight Hazard - Materials that must be preheated before ignition will occur. Includes liquids, solids and semi solids having a flash point above 200 F. (Class IIIB)

**Physical:**

0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

SDS US (GHS HazCom 2012)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product*