

SAFETY DATA SHEET FOR SHINE 20.20

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

Product Name: Shine 20.20
Product Code: FG0028
Product Use: Anti-Static Gloss Restorer
Manufacturer: StaticWorx, Inc.
Address: P.O. Box 1556, Williston, VT 05495
Information Contact: (617) 923-2000
Emergency Contact (24/7): (800)-255-3924 (Velocity EHS)

SECTION 2: HAZARD(S) IDENTIFICATION

Classification: This material is **not classified as hazardous** under OSHA Hazard Communication Standard (29 CFR 1910.1200).
 Not classified as dangerous under the **Globally Harmonized System (GHS)**.

Pictogram: Not applicable
Signal Word: Not applicable
Hazard Statement: No known significant hazards

Precautionary Statements

- ✓ Keep container tightly closed when not in use.
- ✓ Do not smoke in vicinity.
- ✓ Avoid direct contact with eyes, skin, or clothing.
- ✓ Wear protective gloves and eye/face protection.
- ✓ Store in a cool, well-ventilated area.
- ✓ Avoid release into the environment.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS #	Weight %
Dipropylene Glycol Monomethyl Ether	34590-94-8	1 - 3%

SECTION 4: FIRST-AID MEASURES

Skin Contact: Wash thoroughly with soap and water. Remove contaminated clothing and wash before reuse. Seek medical attention if irritation persists.

Eye Contact: Move individual away from exposure. Flush with **large amounts of water for at least 15 minutes**. Seek **immediate medical attention**.

Ingestion:	Do NOT induce vomiting. This material may enter lungs during anything by mouth given to an unconscious person. Contact a physician immediately.
Inhalation:	Move to fresh air. If symptoms persist, seek medical attention. If breathing is difficult administer oxygen and get immediate medical attention.

SECTION 5: FIRE-FIGHTING MEASURES

Suitable Extinguishing Media:	Water spray, alcohol-resistant foam, dry chemical, carbon dioxide.
Hazardous Combustion Products:	None known.
Fire/Explosion Hazard:	None known.
Firefighting Precautions:	Use self-contained breathing apparatus (SCBA) and full protective gear. Move non-burning material, as feasible, to a safe location as soon as possible. Cool fire-exposed containers with water spray.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal Protection:	Depending upon the extent of release, consider the need for fire fighters/emergency responders with adequate protective equipment for cleaning up. Do not eat, drink or smoke while cleaning up. Use a self-contained respirator, a mask with filter or filtering mask. Wear protective gloves, safety glasses, appropriate clothing and impervious gloves (e.g. neoprene). Ensure adequate ventilation and avoid inhaling vapors. Avoid all sources of ignition: hot surfaces and open flames (see also section 7).
Environmental Precautions:	Prevent spills from entering storm drains, soil, or water sources.

Clean-Up Methods

Small Spill:	Stop leak if possible without risk. Move containers from spill area. Dilute with water and mop up. Dispose of via a licensed waste disposal contractor per local regulations.
Large Spill:	Stop leak if possible without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basement or other confined areas. Contain and collect spillage with absorbent material (sand, vermiculite, diatomaceous earth), place in sealed containers for disposal. Dispose of via a licensed waste disposal contractor per local regulations. Contaminated absorbent material may pose the same hazards as the spilled product. Note, see section 1 for emergency contact information and section 13 for waste disposal.

SECTION 7: HANDLING AND STORAGE

Handling Precautions

- ✓ Put on appropriate personal protective equipment
- ✓ Avoid contact with skin, eyes, and clothing.
- ✓ Do not ingest.
- ✓ Do not inhale mist or vapors.
- ✓ Use in a **well-ventilated area**.

Storage Conditions

- ✓ Keep container tightly sealed, in the original container, when not in use.
- ✓ Store in a **cool, dry, well-ventilated** environment.
- ✓ Keep away from strong acids and oxidizing agents.
- ✓ Do not reuse empty containers..

Advice on general occupational hygiene:

- ✓ Eating, drinking and smoking should be prohibited in areas where this product is handled, stored and processed. Workers should wash hands and face before entering eating areas. See section 8 for additional hygiene measures.

KEEP OUT OF REACH OF CHILDREN

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

Component

Dipropylene Glycol Monomethyl Ether 34590-94-8

OSHA Z1

600 mg/m³ Permissible exposure limit

ACGIH – time weighted average

100 ppm (TWA)

ACGIH – short-term exposure limit

150 ppm

Protective Equipment

- ✓ **Eye Protection:** Safety glasses or chemical splash goggles.
- ✓ **Hand Protection:** Chemical-resistant gloves (butyl rubber recommended).
- ✓ **Respiratory Protection:** If ventilation is inadequate, use a **NIOSH-approved respirator**.
- ✓ **Skin Protection:** Wear protective clothing as needed.

Individual Protection Measures

Hygiene Measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/Face Protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

- Hand Protection:** Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. 8 hours (breakthrough time): butyl rubber .
- Body Protection:** Personal protective equipment for the body should be selected based on the task performed and the risks involved. Any and all personal protective equipment should be approved by a specialist before handling this product.
- Other Skin Protection:** Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Recommended: natural rubber (latex)

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	Value
Appearance	Milky liquid
Odor	Mild detergent
pH	5.5 - 6.5
Flash Point	None
Solubility	100% in water
Vapor Pressure	17.8 mmHg
Density	1.02 g/cm ³
Viscosity	5-15 cps @ 25°C
Boiling Point	Not available
Auto-Ignition Temperature	Not available

SECTION 10: STABILITY AND REACTIVITY

- Stability:** Stable under normal conditions.
- Conditions to Avoid:** Heat, open flames, and other ignition sources.
- Incompatible Materials:** Avoid strong acids and oxidizers.
- Hazardous Decomposition:** May emit carbon monoxide under extreme heat.
- Polymerization:** Will not occur.

SECTION 11: TOXICOLOGICAL INFORMATION

- Acute Toxicity:** Dipropylene glycol momomethyl ether 34590-94-8
Oral LD50 (rat): >5000 mg/kg
Dermal LD50 (rabbit): 9510 mg/kg
- Chronic Effects:** Not classified as a carcinogen or mutagen.
- Chronic Toxicity:** No component of this product, present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen or potential carcinogen by NTP, OSHA and or IARC.

Reproductive Toxicity: No information available.

Target Organs: Eye

SECTION 12: ECOLOGICAL INFORMATION

Environmental Impact: Not expected to be environmentally hazardous. If this product becomes a waste, it will not exhibit the properties of ignitability, corrosivity, reactivity or environmentally persistent toxicity. The material should not be flushed into a sewer system. This product should not be released to the environment without chemical treatment.

Bioaccumulative Potential: Low bioaccumulation potential.

Mobility: Spillage may penetrate soil and water systems but is not expected to cause harm.

SECTION 13: DISPOSAL CONSIDERATIONS

- ✓ Dispose of per local, state, and federal regulations.
- ✓ Do not discharge effluent containing this product into lakes, streams, ponds or estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit, and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your local State Water Board or Regional Office of the EPA.

SECTION 14: TRANSPORT INFORMATION

The basic description below is specific to the container size. This information is provided for at a glance DOT information. Please refer to the container and/or shipping papers for the appropriate shipping description before tendering this material for shipment. Dangerous goods descriptions may not reflect end-use or region-specific exceptions that can be applied. For additional information, please contact the distributor listed in section 1 of this SDS.

Regulatory Agency	Classification
DOT	Not Regulated
IATA	Not Regulated
IMDG/IMO	Not Regulated

SECTION 15: REGULATORY INFORMATION

- ✓ **TSCA:** All ingredients are listed on or exempt from the **Toxic Substances Control Act (TSCA)** inventory.
- ✓ **SARA 311/312:** Not hazardous.
- ✓ **Clean Air Act, Section 12:** Hazardous Air Pollutants (HAPs) (see 40 CFR 61) This product does not contain any reportable HAPs. Chemical Weapons Convention (CWC): This product does not contain any listed substances.
- ✓ **California Proposition 65:** Contains no known listed substances.

SECTION 16: OTHER INFORMATION

- ✓ **Prepared By:** David Sadlo
- ✓ **Preparation Date:** 11/12/2015
- ✓ **Revision Date:** 2/4/25

Disclaimer: This SDS is intended to provide guidelines for safe handling and use of this product. No express or implied warranties are provided regarding performance or fitness for a particular application. Users assume all risks associated with product use.

For Technical Support & Bulk Orders Contact

- ✓ 617-923-2000
- ✓ info@staticworx.com
- ✓ staticworx.com

The information herein is based on data considered to be accurate. However, no warranty is expressed or implied regarding the accuracy of these data or results. Also this shall not establish a legally valid contractual relationship.

Vendor assumes no responsibility for injury to vendee or third person proximately caused if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, vendor assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in use of the material.

Our products are intended for sale to industrial and commercial customers. We encourage customers to inspect and test our products before use and to satisfy themselves as to suitability for their specific applications.

Warranty: The manufacturer warrants that products sold comply with specifications as represented and will perform satisfactorily if used according to the directions, or the manufacturer will refund or replace any unused portion thereof, for a period of one year from the date of manufacture. The manufacturer does not make any other warranty, or assume responsibility of any kind, expressed or implied regarding the effect or result of the products use; and assumes no responsibility of injury to vendee or third parties proximately caused by the material if reasonable safety procedures are not adhered to.